

Current version: 3.2.0, issued: 05.08.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

edding brilliant paper marker ink (brown) contained in: edding 30, edding 33

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Ink for stationery products

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

edding International GmbH Bookkoppel 7

D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

Information provided by / telephone

+49 (0)4102 - 808-0

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Warning

Hazardous component(s) to be indicated on label:

1,2-benzisothiazol-3(2H)-one

Hazard statement(s)



Current version: 3.2.0, issued: 05.08.2020 Region: GB

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture (preparation)

Hazardous ingredients

No	Substance name		Additio	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%
	REACH no				
1	ethanediol				
	107-21-1	Acute Tox. 4; H302	>=	5.00 - < 10.00	%-b.w.
	203-473-3	STOT RE 2; H373o			
	603-027-00-1				
	01-2119456816-28				
2	ammonia				
	1336-21-6	Aquatic Acute 1; H400	<	2.50	%-b.w.
	215-647-6	Skin Corr. 1B; H314			
	007-001-01-2	Eye Dam. 1; H318			
	-				
3	propan-2-ol				
	67-63-0	Eye Irrit. 2; H319	<	2.50	%-b.w.
	200-661-7	Flam. Liq. 2; H225			
	603-117-00-0	STOT SE 3; H336			
	01-2119457558-				
	25-0085				
4	1,2-benzisothiazol-				
	2634-33-5	Acute Tox. 4; H302	<	0.50	%-b.w.
	220-120-9	Aquatic Acute 1; H400			
	613-088-00-6	Eye Dam. 1; H318			
	01-2120761540-60	Skin Irrit. 2; H315			
		Skin Sens. 1; H317			
5	CARBON BLACK				
	1333-86-4	-	<	2.50	%-b.w.
	215-609-9				
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	STOT SE 3; H335: C >= 5%	-	-
4	-	Skin Sens. 1; H317: C >= 0.05%	M = 10	-

No Route, target organ, concrete effect



Current version: 3.2.0, issued: 05.08.2020 Reglaced version: 3.1.0, issued: 25.02.2020 Region: GB

1 H373 oral; kidneys; -

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.



Current version: 3.2.0, issued: 05.08.2020 Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	ethanediol	107-21-1		203-473-3	
	2000/39/EC				
	Ethylene glycol				
	WEL short-term (15 min reference period)	104	mg/m³	40	ppm
	WEL long-term (8-hr TWA reference period)	52	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) /	EH40			
	Ethane-1,2-diol vapour				
	WEL short-term (15 min reference period)	104	mg/m³	40	ppm
	WEL long-term (8-hr TWA reference period)	52	mg/m³	20	ppm
	Comments	Sk			
	List of approved workplace exposure limits (WELs) /	EH40			
	Ethane-1,2-diol particulate				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	Comments	Sk			
2	CARBON BLACK	1333-86-4		215-609-9	
	List of approved workplace exposure limits (WELs) /	EH40			
	Carbon black				
	WEL short-term (15 min reference period)	7	mg/m³		
	WEL long-term (8-hr TWA reference period)	3.5	mg/m³		
3	propan-2-ol	67-63-0		200-661-7	
	List of approved workplace exposure limits (WELs) /	EH40			
	Propan-2-ol				
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	No Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value



Current version: 3.2.0, issued: 05.08.2020 Replaced version: 3.1.0, issued: 25.02.2020 Region: GB

1	ethanediol			107-21-1 203-473-3	1
	dermal	Long term (chronic)	systemic	106	mg/kg/day
	inhalative	Long term (chronic)	local	35	mg/m³
2	propan-2-ol			67-63-0	
				200-661-7	•
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³
3	1,2-benzisothiazol	-3(2H)-one		2634-33-5	j
				220-120-9)
	dermal	Long term (chronic)	systemic	0.966	mg/kg/day
	inhalative	Long term (chronic)	systemic	6.81	mg/m³

DNEL value (consumer)

No	Substance name	Substance name			
	Route of exposure	Exposure time	Effect	Value	
1	ethanediol			107-21-1	
				203-473-3	
	dermal	Long term (chronic)	systemic	53	mg/kg/day
	inhalative	Long term (chronic)	local	7	mg/m³
2	propan-2-ol			67-63-0	
				200-661-7	
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	319	mg/kg/day
	inhalative	Long term (chronic)	systemic	89	mg/m³
3	1,2-benzisothiazol-3(2H)-	one		2634-33-5	
				220-120-9	
	dermal	Long term (chronic)	systemic	0.345	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.2	mg/m³

PNFC values

	PNEC values					
No	Substance name		CAS / EC	no		
	ecological compartment	Туре	Value			
1	ethanediol		107-21-1			
			203-473-3			
	water	fresh water	10	mg/L		
	water	marine water	1	mg/L		
	water	Aqua intermittent	10	mg/L		
	water	fresh water sediment	37	mg/kg dry		
				weight		
	water	marine water sediment	3.7	mg/kg dry		
				weight		
	soil	-	1.53	mg/kg dry		
				weight		
	sewage treatment plant	-	199.5	mg/L		
2	propan-2-ol		67-63-0			
			200-661-7	•		
	water	fresh water	140.9	mg/L		
	water	Aqua intermittent	140.9	mg/L		
	water	marine water	140.9	mg/L		
	water	fresh water sediment	552	mg/L		
	water	marine water sediment	552	mg/L		
	soil	-	28	mg/kg		
	sewage treatment plant	-	2251	mg/L		
	secondary poisoning	-	160	mg/kg		
	with reference to: food					
3	1,2-benzisothiazol-3(2H)-one		2634-33-5			
			220-120-9	<u> </u>		
	water	fresh water	11	μg/L		
	water	marine water	1.1	μg/L		



Current version: 3.2.0, issued: 05.08.2020 Reglaced version: 3.1.0, issued: 25.02.2020 Region: GB

water	fresh water sediment	49.9	μg/kg dry weight
water	marine water sediment	4.99	μg/kg dry weight
soil	-	3	mg/kg dry weight
sewage treatment plant	-	1.03	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
liquid
brown
Odour
No data available
Odour threshold
No data available
pH value
No data available
Boiling point / boiling range
Value 100 °C
Melting point / melting range
No data available
Decomposition point / decomposition range
No data available
Flash point
No data available
Auto-ignition temperature
No data available

EU safety data sheet



Trade name: edding brilliant paper marker ink (brown) contained in: edding 30, edding 33

Current version: 3.2.0, issued: 05.08.2020 Region: GB

Oxidising properties

No data available

Explosive properties

No data available

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density
No data available

Density

No data available

Solubility in water

Comments soluble

Solubility(ies)

No data available

Part	Partition coefficient: n-octanol/water						
No	Substance name		CAS no.		EC no.		
1	ethanediol		107-21-1		203-473-3		
log l	Pow			-1.36			
Refe	erence temperature			25	°C		
Sou	rce	ECHA					
2	propan-2-ol		67-63-0		200-661-7		
log I	Pow			0.05			
Refe	erence temperature			25	°C		
Sou	rce	ECHA					
3	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120-9		
log I	Pow			0.7			
Refe	erence temperature			20	°C		
Met	hod	EEC A8					
Sou	rce	ECHA					

Viscosity

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).



Current version: 3.2.0, issued: 05.08.2020 Reglaced version: 3.1.0, issued: 25.02.2020 Region: GB

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	edding brilliant paper marker ink (brown	n) contained				
	in: edding 30, edding 33					
Con	nments	The result of the applied calculation method according to the				
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,				
		Part 3 of Annex I is outside the values that imply a classification /				
	labelling of this mixture according to table 3.1.1 defining the					
		respective categories (ATE oral > 2000 mg/kg).				

Acu	te oral toxicity			
No	Substance name	CAS no.		EC no.
1	propan-2-ol	67-63-0		200-661-7
LD5	0		5840	mg/kg bodyweight
Spec	cies	rat		
Meth	nod	OECD 401		
Soul	rce	ECHA		
Eval	uation/classification	Based on available data, t	he classification	n criteria are not met.
2	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9
LD5	0		670	mg/kg bodyweight
Spe	cies	rat		
Meth	nod	OECD 401		
Sour	rce	ECHA		

Acu	Acute dermal toxicity				
No	Substance name		CAS no.		EC no.
1	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120-9
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Met	hod	OECD 402			
Sou	rce	ECHA			

Acu	Acute inhalational toxicity				
No	Substance name	CAS no	0.	EC no.	
1	propan-2-ol	67-63-0	0	200-661-7	
LC5	0	>	10000	ppmV	
Dura	ation of exposure		6	h	
Stat	e of aggregation	Vapour			
Spe	cies	rat			
Metl	nod	OECD 403			
Sou	rce	ECHA			
Eval	uation/classification	Based on available d	ata, the classification	n criteria are not met.	

Skir	n corrosion/irritation		
No	Substance name	CAS no.	EC no.
1	ethanediol	107-21-1	203-473-3



Current version: 3.2.0, issued: 05.08.2020 Replaced version: 3.1.0, issued: 25.02.2020 Region: GB

Duration of exposure	20 h
Species	rabbit
Source	ECHA
Evaluation	non-irritant non-irritant
2 propan-2-ol	67-63-0 200-661-7
Species	rabbit
Source	ECHA
Evaluation	non-irritant non-irritant
Evaluation/classification	Based on available data, the classification criteria are not met.
3 1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9
Duration of exposure	4 h
Species	rabbit
Method	EPA OPP 81-5
Source	ECHA
Evaluation	irritant

Seri	Serious eye damage/irritation			
No	Substance name		CAS no.	EC no.
1	ethanediol		107-21-1	203-473-3
Dura	tion of exposure		24	h
Spec	cies	rabbit		
Soul	rce	ECHA		
Eval	uation	non-irritant		
2	propan-2-ol		67-63-0	200-661-7
Spe	cies	rabbit		
Meth	nod	OECD 405		
Soul	rce	ECHA		
Eval	uation	irritant		
Eval	uation/classification	Based on av	ailable data, the classi	fication criteria are met.
3	1,2-benzisothiazol-3(2H)-one		2634-33-5	220-120-9
Spe	cies	rabbit		
Meth	nod	EPA OPP 81	-4	
Soul	rce	ECHA		
Eval	uation	corrosive		

Res	Respiratory or skin sensitisation				
No	Substance name		CAS no.		EC no.
1	ethanediol		107-21-1		203-473-3
Rou	te of exposure	Skin			
Spe	cies	guinea pig			
Sou	rce	ECHA			
Eva	luation	non-sensitizir	ng		
2	propan-2-ol		67-63-0		200-661-7
Rou	te of exposure	Skin			
Spe	cies	guinea pig			
Met	hod	OECD 406			
Sou	rce	ECHA			
Eva	luation	non-sensitizir	ng		
Eva	luation/classification	Based on ava	ailable data,	the classification	n criteria are not met.
3	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120-9
Rou	te of exposure	Skin			
Spe	cies	guinea pig			
Met	hod	OECD 406			
Sou	rce	ECHA			
Eva	luation	sensitizing			

Ger	n cell mutagenicity		
No	Substance name	CAS no.	EC no.
1	ethanediol	107-21-1	203-473-3
Type of examination Bacterial Reverse Mutation		Bacterial Reverse Mutation Test	
Spe	cies	Salmonella typhimurium: TA 1535, TA 1	537, TA 98, TA 100;



Current version: 3.2.0, issued: 05.08.2020 Replaced version: 3.1.0, issued: 25.02.2020 Region: GB

Sou	thod urce aluation/classification	Escherichia coli WP2 uvrA OECD 471 ECHA Based on available data, the classification criteria are not met.
2	propan-2-ol	67-63-0 200-661-7
Sou	ırce	ECHA
Eva	aluation/classification	Based on available data, the classification criteria are not met.
3	1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9
Spe	ecies	mouse lymphoma cells
Me	thod	OECD 476
Sou	ırce	ECHA
Eva	aluation/classification	Based on available data, the classification criteria are not met.

Rep	roduction toxicity				
No	Substance name	CAS no.		EC no.	
1	ethanediol	107-21-1		203-473-3	
Sou	rce	ECHA			
Eval	luation/classification	Based on available data, the	ne classificatio	on criteria are not met.	
2	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9	
NOA	\EL		112	mg/kg bw/d	
Spe	cies	rat			
Metl	hod	EPA OPPTS 870.3800			
Sou	rce	ECHA			

Card	Carcinogenicity			
No	Substance name	CAS no.	EC no.	
1	ethanediol	107-21-1	203-473-3	
Sou	rce	ECHA		
Evaluation/classification		Based on available data, the classificatio	n criteria are not met.	

STOT - single exposure No data available

STO	STOT - repeated exposure				
No	Substance name	CAS no.		EC no.	
1	ethanediol	107-21-1		203-473-3	
Rou	e of exposure	oral			
NOA			150	mg/kg bw/d	
Dura	tion of exposure		12	months	
Spec		rat			
Targ	et organ	kidneys			
Meth	nod	OECD 452			
Soul	ce	ECHA			
Eval	uation/classification	Based on available data, the	classificatior	n criteria are met.	
2	propan-2-ol	67-63-0		200-661-7	
Rou	e of exposure	inhalational			
Sou	ce	ECHA			
Eval	uation/classification	Based on available data, the	classificatior	n criteria are not met.	
3	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9	
NOA	EL		69	mg/kg bw/d	
Dura	tion of exposure		90	day(s)	
Meth	nod	EPA OPP 82-1			
Soul	ce	ECHA			
Eval	uation/classification	Based on available data, the	classification	n criteria are not met.	

Aspiration hazard	
No data available	
-	

Other information Exercise customary precautions when handling chemicals.

SECTION 12: Ecological information



Current version: 3.2.0, issued: 05.08.2020 Replaced version: 3.1.0, issued: 25.02.2020 Region: GB

12.1 Toxicity

Toxi	city to fish (acute)			
No	Substance name	CAS no.		EC no.
1	ethanediol	107-21-1		203-473-3
LC5	0	>	72860	mg/l
Dura	ation of exposure		96	h
Spec	cies	Pimephales promelas		
Sou	rce	ECHA		
2	propan-2-ol	67-63-0		200-661-7
LC5	0		9640	mg/l
Duration of exposure			96	h
Spec	cies	Pimephales promelas		
Meth	nod	OECD 203		
Soul	rce	ECHA		
3	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9
LC5	0		2.18	mg/l
Dura	ation of exposure		96	h
Spec	cies	Oncorhynchus mykiss		
Meth	nod	OECD 203		
Soul	rce	ECHA		

Toxicity to fish (chronic) No data available

Toxi	Toxicity to Daphnia (acute)							
No	Substance name		CAS no.		EC no.			
1	ethanediol		107-21-1		203-47	3-3		
EC5	0	>		100		mg/l		
Duration of exposure				48		h		
Spec	cies	Daphnia mag	ına					
Meth	nod	OECD 202						
Soul	Source							
2	propan-2-ol		67-63-0		200-66	1-7		
EC5	0	>		10000		mg/l		
Dura	Duration of exposure			24		h		
Spec	Species		ına					
Meth	Method							
Soul	rce	ECHA						
3	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120	0-9		
EC5	0			2.94		mg/l		
Dura	Duration of exposure			48		h		
Spec	cies	Daphnia mag	ına					
Meth	nod	OECD 202						
Soul	rce	ECHA						

Toxicity to Daphnia (chronic) No data available

Toxicity to algae (acute)							
No	Substance name	CAS no.		EC no.			
1	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9			
ErC:	50		150	μg/l			
Dura	ation of exposure		72	h			
Species		Selenastrum capricornutum					
Method		OECD 201					
Source		ECHA					

No data available	Toxicity to algae (chronic)		
No data available	No data available		

Bacteria toxicity



Current version: 3.2.0, issued: 05.08.2020 Replaced version: 3.1.0, issued: 25.02.2020 Region: GB

No	Substance name	CAS no.		EC no.	
1	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9	
EC5	50		13	mg/l	
Dura	ation of exposure		3	h	
Spe	cies	activated sludge			
Method		OECD 209			
Sou	rce	ECHA			

12.2 Persistence and degradability

Biodegradability						
No Substance name	CAS no. EC no.					
1 ethanediol	107-21-1		203-473-3			
Туре	DOC decrease					
Value	90 -	100	%			
Duration		10	day(s)			
Method	OECD 301 A					
Source	ECHA					
Evaluation	readily biodegradable					
2 propan-2-ol	67-63-0		200-661-7			
Туре	BOD/COD					
Value		53	%			
Duration		5	day(s)			
Source	ECHA					
Evaluation	readily biodegradable					
3 1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9			
Value		85	%			
Duration		63	day(s)			
Method	OECD 301 C					
Source	ECHA					
Evaluation	not readily biodegradable					

12.3 Bioaccumulative potential

	5 Bloaccumulative potential						
Part	Partition coefficient: n-octanol/water						
No	Substance name		CAS no.		EC no.		
1	ethanediol		107-21-1		203-473-3		
log F	Pow			-1.36			
Refe	erence temperature			25	°C		
Soul	rce	ECHA					
2	propan-2-ol		67-63-0		200-661-7		
log F	Pow			0.05			
Reference temperature				25	°C		
Soul	rce	ECHA					
3	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120-9		
log F	Pow			0.7			
Reference temperature				20	°C		
Meth	nod	EEC A8					
Soul	rce	ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information	
Do not discharge product unmonitored into the environment.	



Current version: 3.2.0, issued: 05.08.2020 Reglaced version: 3.1.0, issued: 25.02.2020 Region: GB

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

EU safety data sheet



Trade name: edding brilliant paper marker ink (brown) contained in: edding 30, edding 33

Current version: 3.2.0, issued: 05.08.2020 Reglaced version: 3.1.0, issued: 25.02.2020 Region: GB

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H373o May cause damage to organs through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 634058