

Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

# edding Highlighter Ink (neon yellow) contained in: edding e-7 mini highlighter

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Ink for use in felt pens

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### **Address**

edding International GmbH Bookkoppel 7

D-22926 Ahrensburg

Telephone no. +49 (0) 41 02 / 80 8-0

#### Information provided by / telephone

+49 (0)4102 - 808-0

#### **Advice on Safety Data Sheet**

sdb info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)30 30686 790 (Giftnotruf Berlin)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Skin Sens. 1; H317

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



Signal word

Warning

### Hazardous component(s) to be indicated on label:

2-methyl-2H-isothiazol-3-one 2-octyl-2H-isothiazol-3-one

## EU safety data sheet



Trade name: edding Highlighter Ink (neon yellow) contained in: edding e-7 mini highlighter

Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

**Hazard statement(s)** 

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

#### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Mixture (preparation)

**Hazardous ingredients** 

No	Substance name		Addit	ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no	, , , , , , , , , , , , , , , , , , ,			
1	sodium carbonate				
	497-19-8	Eye Irrit. 2; H319	>=	5.00 - < 10.00	wt%
	207-838-8				
	011-005-00-2				
	01-2119485498-19				
2	pyridine-2-thiol 1-o				
	3811-73-2	Acute Tox. 4; H302	<	0.10	wt%
	223-296-5	Acute Tox. 3; H311			
	-	Acute Tox. 4; H332			
	01-2119493385-28	Aquatic Acute 1; H400			
		Eye Irrit. 2; H319			
		Skin Irrit. 2; H315			
		Aquatic Chronic 1; H410			
3	bronopol				
	52-51-7	Acute Tox. 4*; H302	<	0.10	wt%
	200-143-0	Acute Tox. 4*; H312			
	603-085-00-8	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			
		STOT SE 3; H335			
4	2-methyl-2H-isothia				
	2682-20-4	Acute Tox. 3; H301	<	0.10	wt%
	220-239-6	Acute Tox. 3; H311			
	613-326-00-9	Acute Tox. 2; H330			
	01-2120764690-50	Skin Corr. 1B; H314			
		Eye Dam. 1; H318			
		Skin Sens. 1A; H317			
		Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH071			
5	2-octyl-2H-isothiaz	ol-3-one			



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

26530-20-1	Acute Tox. 3; H301	<	0.10	wt%
247-761-7	Acute Tox. 3; H311			
613-112-00	-5 Skin Corr. 1; H314			
-	Skin Sens. 1A; H317			
	Eye Dam. 1; H318			
	Acute Tox. 2; H330			
	Aquatic Chronic 1; H410			
	Aquatic Acute 1; H400			
	EUH071			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	-	M = 100	M = 10
3	-	-	M = 10	-
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1
5	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 100	M = 100

#### 3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

#### After skin contact

Wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet.

### **SECTION 6: Accidental release measures**



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections

No data available.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium carbonate			497-19-8	
				207-838-8	
	inhalative	Long term (chronic)	local	10	mg/m³

### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium carbonate			497-19-8	
				207-838-8	
	inhalative	Long term (chronic)	local	5	mg/m³

#### 8.2 Exposure controls

Appropriate engineering controls



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

No data available.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

#### **Environmental exposure controls**

No data available.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

9.		illicai properties		
	State of aggregation			
	liquid			
	Form/Colour			
	liquid			
	neon yellow			
	Tioon yellow			
	Odour			
	characteristic			
	pH value			
	Value		7.5	
	Reference temperature		20	°C
	Source	Manufacturer		-
	B. W			
	Boiling point / boiling range		100	00
	Value		100	°C
	Melting point/freezing point			
	No data available			
	Decomposition temperature			
	No data available			
	Flash point			
	Value	>	199	°C
	Source	Manufacturer		
	Ignition temperature			
	Value	>	350	°C
	Source	Manufacturer		
	Auto ignition townsystems			
	Auto-ignition temperature Comments	Droduct is not selfi	anitina	
	Comments	Product is not selfi	grilling.	
	Flammability			
	No data available			
	Lower explosion limit			
	LOWER EXPROSION MINIC			



Cu	rrent version: 4.0.0, issued: 25.04.2022	Replaced version	on: 3.0.0	, issued: 10.11.2019	Region: GB
	Value		2.6	% vol	
	Upper explosion limit Value		11.3	% vol	
			11.3	76 VOI	
	Value		23	hPa	
	Reference temperature		20	°C	
	Relative vapour density  No data available				
	Relative density				
	No data available				
	Density		4.40		
	Value Reference temperature		1.16 20	g/cm³ °C	
	Source	Manufacturer			
	Solubility in water				
ı	Comments	Completely miscible	e		
	Solubility No data available				
	Partition coefficient n-octanol/water (log val	luo)			
	No data available	iue)			
	Kinematic viscosity				
	No data available				
	Solvent content Value		13.7	%	
			13.7	70	
ī	Solids content Value		21.5	%	
•	Particle characteristics				
	No data available				

#### 9.2 Other information

Other information

No data available.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

#### 10.5 Incompatible materials

No data available.

### 10.6 Hazardous decomposition products

No data available.

### **SECTION 11: Toxicological information**



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity				
No	Substance name	CAS no.		EC no.	
1	sodium carbonate	497-19-8		207-838-8	
LD5	0		2800	mg/kg bodyweight	
Spe	cies	rat			
Soul	rce	ECHA			

Acu	te dermal toxicity			
No	Substance name	CAS no.		EC no.
1	sodium carbonate	497-19-8		207-838-8
LD50	0	>	2000	mg/kg bodyweight
Spec	cies	rabbit		
Meth	nod	EPA 16 CFR 1500.40		
Sour	rce	ECHA		

Acute inhalational toxicity
No data available

Skin	Skin corrosion/irritation					
No	Substance name	CAS no.	EC no.			
1	sodium carbonate	497-19-8	207-838-8			
Spec	cies	rabbit				
Meth	nod	OECD 404				
Sour	rce	ECHA				
Eval	uation	non-irritant				

Seri	Serious eye damage/irritation				
No	Substance name	CAS no.	EC no.		
1	sodium carbonate	497-19-8	207-838-8		
Spe	cies	rabbit			
Sou	rce	ECHA			
Eval	uation	irritant			

Respiratory or skin sensitisation
No data available

Germ cell mutagenicity	
No data available	

Reproduction toxicity	
Reproduction toxicity	
No data available	

Carcinogenicity		
No data available		

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

### **SECTION 12: Ecological information**



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

#### 12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.		
1	sodium carbonate	497-19-8		207-838-8		
LC50			300	mg/l		
Duration of exposure			96	h		
Species		Lepomis macrochirus				
Source		ECHA				

### Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.			EC no.	
1	sodium carbonate	497-19-8			207-838-8	
EC5	0	200	-	227	mg/l	
Dura	ation of exposure			48	h	
Spe	cies	Ceriodaphnia spec				
Sou	rce	ECHA				

#### Toxicity to Daphnia (chronic)

No data available

### Toxicity to algae (acute)

No data available

### Toxicity to algae (chronic)

No data available

#### **Bacteria toxicity**

No data available

### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC)

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75	
2	2-methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	75	
3	2-octyl-2H-isothiazol-3-one	26530-20-1	247-761-7	75	
4	bronopol	52-51-7	200-143-0	75	
5	pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	223-296-5	75	
6	sodium carbonate	497-19-8	207-838-8	75	

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.



Current version: 4.0.0, issued: 25.04.2022 Replaced version: 3.0.0, issued: 10.11.2019 Region: GB

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Creation of the safety data sheet

**UMCO GmbH** 

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 636326