USB-C™ Multiport Hub

Part Number: 49142

Warranty: 2 Year Limited Warranty

Description:

- USB-C™ Multiport Hub – the ideal solution to expand your notebook or smartphone into a workstation.
- Provides USB-C™ power charging – easily charge your USB-C™ device whilst still using other ports.
- Up to 5Gbps* - three USB 3.0 ports means plenty of room for extra accessories.
- HDMI interface supports up to 4K** – output video from your computer to a 4K monitor.
- Supports Gigabit Ethernet and SD/ microSD.
- Sleek, compact design makes this device very portable and perfect for use on-the-go. Stylish, brushed metal finish.

*Based on internal testing results. Depending on host drive, performance may vary.

**HDMI port requires a direct HDMI to HDMI connection.

•	**Product Weight:**	70 grams (approx)
•	**Product Dimensions:**	117.7mm (L) x 50mm (W) x 15.7m (D)
•	**Cable Length:**	15cm
•	**Pack Weight:**	103 grams (approx)
•	**Pack Dimensions:**	186mm (H) x 90mm (W) x 22mm (D)
•	**Carton Qty:**	10
•	**Carton Dimensions:**	280mm x 125mm x 220mm
•	**Layers Per Pallet:**	4
•	**Cartons / layer:**	20
•	**Units / Pallet:**	800

Verbatim.
Technology you can trust

USB-C™ Multiport Hub

Languages:

Front of pack: English (Product description also in French on the back)

Back of pack: English, French, German, Italian, Spanish,

Portuguese, Polish, Russian, Czech, Hungarian, Slovakian, Croatian,
Traditional Chinese, Simplified Chinese & Korean.

Specifications:

Voltage Range: 5V-20V

Max Current: 3A

Interface: USB-C™ (USB 3.1 GEN 1), 3 x USB 3.0, HDMI, Gigabit Ethernet,
SD/microSD

Operating System: Windows 10, 8, 7, Mac OS 9.X & higher, Linux 2.4.X.

Working Temperature: 5-40ºC

Storage Temperature: 0-60ºC

Pack Contents:

USB-C™ Multiport Hub (includes 15cm USB-C™ cable)

USB-C™ Connector for Power Charging | USB 3.0 x 3 | HDMI | Gigabit Ethernet | SD/microSD

USB-C™ Multiport Hub

Ordering Information:

Reorder No.	Description	Barcode	EAN-128	EAN-14
49142	Verbatim USB-C Multiport Hub – USB 3.1/ USB 3.0 x 3 / HDMI/ SDHC/ microSDHC/ RJ45	023942491422	(02)00023942491422(37)10(91)468	50023942491427