




2x 8K HDMI, 1x DP  
Video Connection



USB 3.2 Gen2  
1x USB-A, 2x USB-C



RJ45 Gigabit  
Ethernet Port



3.5 mm Audio I/O

## No more limits for your laptop

Introducing the USB-C Pro Multiport Hub 9 Port CMH-13, a connectivity powerhouse for streamlined productivity. Unleash enhanced connectivity by converting a single USB-C port into nine versatile ports, including USB 3.2 Gen2 and HDMI.

Swift data transfer is at your fingertips with USB 3.2 Gen2 technology, ensuring efficient workflows and minimal wait times. Immerse yourself in crisp 8K video output through the HDMI or DP port, ideal for presentations, movie watching, or expanding your workspace with crystal-clear visuals.


Plug the Hub into the USB-C™ port on your laptop to immediately increase your working possibilities.

# USB-C™ Pro Multiport Hub

## 13 Port

CMH-13

General Information	
Material	Aluminum+ABS
Colour	Silver
Interfaces	
Host Connection	USB-C™ 3.2 Gen2 with up to 85W power pass-through
Cable length	15 cm
Video Ports	HDMI 1: 8K 30Hz / 7680x4320 HDMI 2: 8K 30Hz / 7680x4320 DP: 8K 30Hz / 7680x4320
Audio	3.5mm Audio & Microphone (CTIA Standard)
Ethernet Port	1x RJ45 Gigabit Ethernet up to 1Gb/s
USB-A ports	1x USB-A 3.2 Gen2, up to 10Gb/s with a maximum power output of 5V/0.9A 3x USB-A 3.2 Gen1, up to 5Gb/s with a maximum power output of 5V/0.9A 2x USB-A 2.0, up to 480Mbps data speed. Designed for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc.
USB-C ports	2x USB-C PD + Data: Support 100W power in, charging limited to 87-96W for safety. Up to 10Gbps data speed
Other Features	
Certificates	EAC/CE/UKCA/FCC
ROHS/REACH compliance	Yes
Storage and Operating Conditions	
Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)



# USB-C™ Pro Multiport Hub 13 Port CMH-13



PN	Description	Bar Code	EAN128 Code	EAN14 Code
32153	USB-C Pro Multiport Hub 13 Port CMH-13	023942321538	(02)00023942321538(37)10(91)891 (02)00023942321538(37)40(91)891	20023942321532 50023942321533

Logistic Information	
Product Dimensions L x W x H	160.2 x 55.4 x 15mm
Product Weight	150 grams
Units per Pack	1
Pack Dimensions L x W x H	200 x 100 x 22mm
Pack Weight	206
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	415 x 112 x 130mm
Inner Carton Weight	2210
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	435 x 245 x 290mm
Master Cartons Weight	9400
Master Cartons per Layer	8
Layers per Pallet	3
Units per Pallet	960

# USB-C™ Pro Multiport Hub 13 Port CMH-13

**Verbatim**  
Technology you can trust



Front Angled



Back Angled



Left Side Angled



Right Side Angled



Top Angled



Ports



Right Side Angled Lit



Packaging 3D



Packaging flat



Lifestyle 1



Lifestyle 2



Lifestyle 3

## System Requirements:

- Interface: USB-C must support video output.
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

## Pack Contents:

- USB-C Pro Multiport Hub
- Quick Start Guide